



P-1037-SS

- 14" round stainless steel contoured seat
- Rubber floor tips
- Height adjustment (screw shaft) of 20¹/8" to 32³/8"

P-1037-W/C-SS

- 3" **co•re casters**™
- Height adjustment (screw shaft) of 22¹/₂" to 34⁵/₈"

seating stainless steel series

features

- weight capacity rating of 300 lbs.
- Available in Classic

upholstery

- classic O
- royal

dual wheel locking casters option

• 66 Locking Casters (activated upon standing)

• 01-B Adaptor (required for 66)



• P-1038-SS • T-1038-SS

- 14" round cushioned seat
- Rubber floor tips
- Height adjustment (screw shaft) of 22" to 341/2"

• P-1038-W/C • T-1038-W/C

• 3" **co•re casters**™

 Height adjustment (screw shaft) of 24¹/₄" to 36³/₄"



• P-1039-SS • T-1039-SS

- 14" round cushioned seat
- Upholstered spring back
- Rubber floor tips
- Height adjustment (screw shaft) of 223/4" to 341/2"

• P-1039-W/C • T-1039-W/C

• 3" **co•re casters**™

 Height adjustment (screw shaft) of 25" to 36³/₄"



• P-1040-SS • T-1040-SS

- 14" x 15" cushioned square seat
- Upholstered spring back
- 3" **co•re casters**™
- Height adjustment (screw shaft) of 26" to 37¹/₂"





• P-36

○T-36

- 14" round cushioned seat
- 3" **co•re casters**™
- Height adjustment (screw shaft) of 17⁷/₈" to 26¹/₄"



- 14" round cushioned seat
- Rubber floor tips
- Height adjustment (screw shaft) of 22" to 34¹/₂"

• P-38-W/C • T-38-W/C

- 3["] co•re casters[™]
- Height adjustment (screw shaft) of 241/4" to 363/4"

seating powder-coat series

features

• weight capacity rating of 300 lbs.

upholstery

- classic O
- royal 🛛 🔵

dual wheel locking casters option

- 66 Locking Casters (activated upon standing)
- 01-B Adaptor (required for 66)



• P-39

- 14" round cushioned seat
- Rubber floor tips
- Upholstered spring back
- Height adjustment (screw shaft) of 22³/₄" to 34¹/₂"

• P-39-W/C • T-39-W/C

- 3" **co•re casters**™
- Height adjustment (screw shaft) of 241/4" to 363/4"



• T-51

• P-51

- 14" x 15" square cushioned seat
- Upholstered spring back
- 3["] co•re casters[™]
- Height adjustment (screw shaft) of 18⁵/8" to 26¹/4"

• P-51-R

• 14" round cushioned seat

new

- Upholstered spring back
- 3" **co•re** casters[™]
- Height adjustment (screw shaft) of 18⁵/₈" to 26¹/₄"

• T-51-R • P-55

core

caster

- Lab stool
- 14" x 15" square cushioned seat
- Upholstered spring back
- Plastic floor glide
- Height adjustment (screw shaft) of 21⁵/₈" to 33⁵/₈"



•T-55



• P-527-GS • T-527-GS

- 141/2" round fully padded seat
- 231/2" diameter aluminum base
- 2" dual wheel casters
- Adjustable backrest
- Height adjustment of 191/4" to 241/2" (pneumatic)



features

• weight capacity rating of 300 lbs.

upholstery

- classic •
- royal

locking casters option

 \bigcirc

- 66 Locking Casters (activated upon standing)
- 66-A Locking Casters (activated upon sitting)



• P-528-GS • T-528-GS

- 141/2" round fully padded seat
- 231/2" diameter aluminum base
- 2" dual wheel casters
- Height adjustment of 191/4" to 241/2" (pneumatic)



• P-521-GS •T-521-GS

- 14¹/₂" round fully padded seat with back
- 231/2" diameter aluminum base
- 2" dual wheel casters
- Height adjustment (pneumatic) of 191/4" to 233/4"
- Adjustable backrest



• P-526-GS •T-526-GS

- ٠ 14¹/₂" round fully padded seat
- 231/2" diameter aluminum base
- 2" dual wheel casters
- Height adjustment (pneumatic) of 191/4" to 23¾"



- P-536 •T-536
- 14" round cushioned seat
- 21¹/₂" diameter chrome base
- 3" co•re casters™
- Height adjustment (screw shaft) of 17³/₄" to 26¹/₈
- * locking casters option not available

new!

seating five series

features

weight capacity rating of 300 lbs.

upholstery

- classic O
- royal \bigcirc

dual wheel locking casters option

- 66 Locking Casters (activated upon standing)
- 66-A Locking Casters (activated upon sitting)



- P-536-GS T-536-GS
- 14" cushioned seat
- 21¹/₂" diameter chrome base
- 3" **co**•re casters[™]
- Height adjustment (pneumatic) of 183/4" to 231/2"



• P-551 • T-551

- 16" x 17" cushioned seat
- 21¹/₂" diameter chrome base
- Adjustable back support
- 3" co•re casters™
- · Height adjustment (screw shaft) 205/8" to 29"
- Adjustable backrest

• P-551-GS • T-551-GS

- 16" x 17" cushioned seat
- 21¹/₂" diameter chrome base
- Adjustable back support
- 3" co•re casters™
- · Height adjustment (pneumatic) of 191/4" to 24" height
- Adjustable backrest
- * locking casters option not available

• P-555-GS • T-555-GS

- 16" x 17" cushioned seat
- 21¹/₂" diameter chrome base
- Adjustable back support
- 3" **co•re** casters™ •
- Height adjustment • (pneumatic) of 25⁵/8" to 33"
- Adjustable backrest







•T-580

- 18" x 19" contoured cushioned seat
- Height adjustment (pneumatic) of 17¹/₂" to 23¹/₄"
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest
- Adjustable arm rests



•T-581

- 18" x 19" contoured cushioned seat
- Height adjustment (pneumatic) of 17½" to 23¼"
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest

seating ergo task chair

features

Pedigo's ergonomically designed task chairs feature pneumatic height adjustment, dual wheel casters, 5-star base, integrated lumbar support, and independent backrest/seat pan height and tilt controls. PVC and latex free.

• weight capacity rating of 300 lbs.

upholstery

• only available in royal O

locking casters option

• 81 Locking Casters (activated upon standing)



•**T-582**

- 18" x 19" contoured cushioned seat
- Height adjustment (pneumatic) of 17¹/₂" to 23¹/₄"
- Easy rolling 2" dual wheel casters
- 23" diameter footprint (small)
- Adjustable backrest



•T-583

- 18" x 19" contoured cushioned seat
- Height adjustment (pneumatic) of 241/4" to 341/4"
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest
- Adjustable arm rests

•**T-584**

- 18" x 19" contoured cushioned seat
- Height adjustment (pneumatic) of 231/2" to 331/2
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest

seating

ergo task anesthesia chair

features

Ergonomically designed anesthesia chair, Pedigo's T-583 features pneumatic height adjustment, dual wheel casters, 5-star base, integrated lumbar support and independent backrest/seat pan height tilt controls. PVC and latex free.

• weight capacity rating of 300 lbs.

upholstery

only available in royal ●

locking casters option

• 81 Locking Casters (activated upon standing)



49





• P-7000

- Specially contoured seat for added comfort
- Sensafoam body contouring seat and back
- Seat features backrest
- Height adjustable and articulating arm/wrist rests
- 21" diameter base with high grade 3" casters
- 5-caster base
- Three locking casters
- Adjustable backrest
- Height adjustment (hydraulic) of 20³/₄" to 28¹/₄" single pedal, foot-operated



• • P-6000 with Backrest

- 16" round fully padded
- Seat features backrest
- 21" diameter base
- Powder-coated 5-caster base
- High grade 3" casters •
- Three locking casters •
- Height adjustment (hydraulic) of 22³/₄" to 30¹/₄" - single pedal, foot-operated



- P-6001 without Backrest
- 16" round fully padded
- No backrest
- 21" diameter base
- Powder-coated 5-caster base ٠
- High grade 3" casters
- Three locking casters
- Height adjustment (hydraulic) of 223/4" to 301/4" - single pedal, foot-operated

seating hydraulic surgeon chair

features

Hydraulic Surgeon Chairs are ideal for surgery, anesthesiology, ENT and reconstructive procedures.

weight capacity rating of 300 lbs.

upholstery

only available in classic

option (P-6000)

articulating arm rests #P-6000-D





• • P-6001 with Procedure Rest

- Rotates a full 360 degrees
- Upholstered for comfort •
- comfort and support during long procedures
- 16" round fully padded •
- Height adjustment of 24³/8" to • 291/2"





- • P-526 with Procedure Rest
- Rotates a full 360 degrees
- Upholstered for comfort
- Special density foam provides Special density foam provides comfort and support during long procedures
 - 14¹/₂" round fully padded seat
 - ٠ Height adjustment of 211/2"to 233/4"

Part No. P-526-PR and P-526-GS

50

upholstery chart



Above color samples are representations of upholstery materials. Actual colors may vary slightly. Material samples available upon request.

Technical Bulletins The State of California developed a number of testing standards known as Technical Bulletins for the purpose of evaluating the flammability of furniture.



• CALTB-117 Flammability test for the filling or padding material of furniture. Tests the flame retardance of resilient filling materials used in upholstered furniture - including the fabric.

• CALTB-133 A full-scale fire test of the entire unit including the frame, foam and upholstery. TB-117 & TB-13: COMPLIANT

American National Standard for Office Furnishings



This standard is intended to provide manufacturers, specifiers, and users with a common basis for evaluating the safety,

durability, and structural adequacy of general-purpose office chairs. For example, load and impact testing.

 Business & Institutional Furniture Manufacturer's Assoc. A not-for-profit organization that advocates, informs and develops standards for the North American office and institutional furniture industry.



Care Instructions

PreFixx® is engineered so that upholstery can be cleaned again and again without showing signs of wear. With easy cleanability, and proven stain and abrasion resistance, PreFixx protective finish can reduce maintenance costs and frequent re-upholstery.

Performance: Offers state-of-the-art resistance against staining, burnishing, abrasion, scuffing and blocking.

Durability: Creates a barrier that resists stains from penetrating to the surface of the vinyl for proven, long-lasting protection. With laboratory-tested stain resistance and improved wear properties, upholstery treated with PreFixx protective finish can retain a "likenew" appearance longer.

Easy Maintenance: Enables most common stains like dirt and smudges to wipe off easily. Many difficult stains like ballpoint ink also can be cleaned with active solvents. such as nail polish remover, without damaging the PreFixx protective finish (when recommended cleaning instructions are followed).